



2027 SOYBEAN GUIDE





YOU DESERVE CLEAN FIELDS

Every season, weeds compete directly with your soybean crop for sunlight, water and nutrients. Brevant® soybean seed combines high-performing genetics with tolerance to multiple herbicides, backed by more than a century of Corteva Agriscience expertise. The result is the confidence of cleaner fields all season long.



A technology designed to protect your crop

- Effective control of horsetail and other hard-to-control weeds.
- Tolerance to 2,4-D, glyphosate and glufosinate-ammonium herbicides for greater weed management flexibility.
- A technology that helps reduce drift and keep the herbicide where it belongs: on the targeted weeds.
- Extended application window through the R2 growth stage for greater application flexibility.
- Protects yield potential by reducing weed competition from the earliest stages of crop development.

CLEANER
fields.
HIGH-PERFORMING
genetics.
MAXIMIZED
yield potential.



BREVANT IN YOUR FIELDS. ALTOYA BY YOUR SIDE.

A great seed is where success begins. Personalized support is what makes the difference.

Brevant® soybean seed delivers high-performing genetics developed to meet the challenges of today's growers. At Altoya, our role is to bring Brevant genetics to life in the field. As the exclusive distributor of Brevant® soybean seed in Eastern Canada, we support growers and retailers with soybean-focused expertise.

Through field plots, crop tours and demonstration events, our team relies on observation, experience and meaningful conversations to provide recommendations tailored to local growing conditions.

By combining Brevant genetics with Altoya's expertise, we offer more than a portfolio of soybean varieties, we provide a partnership built on performance, service and long-term success.



**BREVANT GENETICS. ALTOYA EXPERTISE.
ONE SHARED GOAL: YOUR SUCCESS IN THE FIELD.**



B0073EE

2450 CHU (RM 00.7) E3



- Outstanding harvest standability
- Solid field emergence
- Superior performance in fields with SCN presence

Phytophthora Gene:

1C

Plant Height for Maturity:

4

Hila Color:

Imperfect Brown

SCN Source:

Peking

Harvest Standability



Field Emergence



Phytophthora
Field Tolerance



White Mould



Sudden Death Syndrome



Canopy Width



B036CE

2600 CHU (RM 0.3) E3



- Excellent harvest standability
- Impressive field emergence
- Variety has an overall sound agronomic package

Phytophthora Gene:

1K

Plant Height for Maturity:

4

Hila Color:

Brown

SCN Source:

PI88788

Harvest Standability



Field Emergence



Phytophthora
Field Tolerance



White Mould



Sudden Death Syndrome



Canopy Width



B054EE

2650 CHU (RM 0.5) E3



- Great white mould tolerance
- RPS 1k for *Phytophthora* and great field tolerance for relative maturity
- Strong yield performance paired with great agronomic package

Phytophthora Gene:

1K

Plant Height for Maturity:

3

Hila Color:

Brown

SCN Source:

PI88788

Harvest Standability



Field Emergence



Phytophthora
Field Tolerance



White Mould



Sudden Death Syndrome



Canopy Width





B074HE

2700 CHU (RM 0.7) E3



- Reliable standability & emergence
- Medium-bushy soybean well adapted to wide or narrow rows

Phytophthora Gene:

1C

Plant Height for Maturity:

4

Hila Color:

Brown

SCN Source:

NA

Harvest Standability



Field Emergence



Phytophthora
Field Tolerance



White Mould



Sudden Death Syndrome



Canopy Width



B103EE

2775 CHU (RM 1.0) E3



- Very good tolerance to white mould and brown stem rot
- Very good standability for high-yield environments
- Nice plant stature with average plant height and good canopy closure

Phytophthora Gene:

1K

Plant Height for Maturity:

4

Hila Color:

Yellow

SCN Source:

PI88788

Harvest Standability



Field Emergence



Phytophthora
Field Tolerance



White Mould



Sudden Death Syndrome



Canopy Width



« Brevant's **B103EE** has proven itself since its introduction.

Recognized for its outstanding stability, it helps maximize the potential of every acre and performs particularly well in environments where organic amendments are used. »

Frédéric Bélanger

District Sales Manager – Eastern Ontario, Québec and Maritimes





B095EE

2775 CHU (RM 1.0) E3

Technology



Agronomic Profile

Phytophthora Gene	1K
Hila Color	Brown
SCN Source	PI88788
Plant Height for Maturity	3

Management Pointers

- Elite combination of standability and emergence
- Strong canopy coverage for wide rows
- Exciting high yield 1.0 RM variety with leading agronomics

Harvest Standability

1 2 3 4 5 6 7 8 9

Field Emergence

1 2 3 4 5 6 7 8 9

Phytophthora Field Tolerance

1 2 3 4 5 6 7 8 9

White Mould

1 2 3 4 5 6 7 8 9

Sudden Death Syndrome

1 2 3 4 5 6 7 8 9

Canopy Width

1 2 3 4 5 6 7 8 9





NEW

B116EE

2800 CHU (RM 1.1) E3

Technology



Agronomic Profile

Phytophthora Gene	1K
Hila Color	Black
SCN Source	PI88788
Plant Height for Maturity	4

Management Pointers

- Excellent yield potential at maturity
- Above-average tolerance to white mold
- Excellent stability at harvest



Browse our varieties online
and view the field plot results

Harvest Standability

1 2 3 4 5 6 7 8 9

Field Emergence

1 2 3 4 5 6 7 8 9

Phytophthora Field Tolerance

1 2 3 4 5 6 7 8 9

White Mould

1 2 3 4 5 6 7 8 9

Sudden Death Syndrome

1 2 3 4 5 6 7 8 9

Canopy Width

1 2 3 4 5 6 7 8 9





B135EE

2850 CHU (RM 1.3) E3

Technology



Agronomic Profile

Phytophthora Gene	1K
Hila Color	Black
SCN Source	Peking
Plant Height for Maturity	4

Management Pointers

- Great option for the high fertility acre
- Exciting 1.3 RM variety with top level white mould
- Peking SCN resistance provides an attractive alternative in cyst areas

Harvest Standability

1 2 3 4 5 6 7 8 9

Field Emergence

1 2 3 4 5 6 7 8 9

Phytophthora Field Tolerance

1 2 3 4 5 6 7 8 9

White Mould

1 2 3 4 5 6 7 8 9

Sudden Death Syndrome

1 2 3 4 5 6 7 8 9

Canopy Width

1 2 3 4 5 6 7 8 9





B144EE

2875 CHU (RM 1.4) E3



- Impressive yield performance
- Great emergence and standability
- Wider canopy width makes this product highly suitable for wide row production

Phytophthora Gene:

1K

Plant Height for Maturity:

4

Hila Color:

Brown

SCN Source:

PI88788

Harvest Standability



Field Emergence



Phytophthora
Field Tolerance



White Mould



Sudden Death Syndrome



Canopy Width



B173EE

2950 CHU (RM 1.7) E3



- Multi-gene *Phytophthora* 1K, 3A gene stack
- Stable yield potential, sound agronomics and good overall defensive traits
- Medium-bushy soybean well adapted to wide or narrow rows

Phytophthora Gene:

1K, 3A

Plant Height for Maturity:

5

Hila Color:

Brown

SCN Source:

PI88788

Harvest Standability



Field Emergence



Phytophthora
Field Tolerance



White Mould



Sudden Death Syndrome



Canopy Width





B185EE

2975 CHU (RM 1.8) E3

Technology



Agronomic Profile

Phytophthora Gene	1K
Hila Color	Brown
SCN Source	PI88788
Plant Height for Maturity	5

Management Pointers

- Industry leading harvest standability
- Very strong white mould tolerance
- Brings excellent yield potential for maturity

Harvest Standability

1 2 3 4 5 6 7 8 9

Field Emergence

1 2 3 4 5 6 7 8 9

Phytophthora Field Tolerance

1 2 3 4 5 6 7 8 9

White Mould

1 2 3 4 5 6 7 8 9

Sudden Death Syndrome

1 2 3 4 5 6 7 8 9

Canopy Width

1 2 3 4 5 6 7 8 9





B182ME

2975 CHU (RM 1.8) E3



- Impressive yield performance with Peking SCN resistance
- Outstanding emergence
- Bushy plant excels on finer textured soils

Phytophthora Gene:

1K

Plant Height for Maturity:

5

Hila Color:

Black

SCN Source:

Peking

Harvest Standability



Field Emergence



Phytophthora
Field Tolerance



White Mould



Sudden Death Syndrome



Canopy Width



B214EE

3050 CHU (RM 2.1) E3



- Strong standability for acres prone to lodging
- Robust canopy and good plant height
- Incredible yield performance + Peking SCN

Phytophthora Gene:

1K

Plant Height for Maturity:

5

Hila Color:

Brown

SCN Source:

Peking

Harvest Standability



Field Emergence



Phytophthora
Field Tolerance



White Mould



Sudden Death Syndrome



Canopy Width



"B182ME is our go-to Brevant Bean for the sandy ground around Scotland, ON."

Noelle Adams
Scotland Agromart



B243EE

3125 CHU (RM 2.4) E3



- Elite yield potential at any productivity level
- Featuring Peking SCN resistance and great white mould tolerance
- Broad acre variety with sound agronomics, excels on heavy clay

Phytophthora Gene:

1K

Plant Height for Maturity:

5

Hila Color:

Brown

SCN Source:

Peking

Harvest Standability



Field Emergence



Phytophthora
Field Tolerance



White Mould



Sudden Death Syndrome



Canopy Width



B289TE

3200 CHU (RM 2.7) E3



- Medium plant type with great standability
- Featuring Peking SCN source
- Strong performance across yield environments

Phytophthora Gene:

1K

Plant Height for Maturity:

4

Hila Color:

Black

SCN Source:

Peking

Harvest Standability



Field Emergence



Phytophthora
Field Tolerance



White Mould



Sudden Death Syndrome



Canopy Width



B283EE

3250 CHU (RM 2.9) E3



- Highly suitable for sudden death syndrome prone environments
- Outstanding emergence
- Provides great SDS field tolerance

Phytophthora Gene:

1K

Plant Height for Maturity:

5

Hila Color:

Black

SCN Source:

PI88788

Harvest Standability



Field Emergence



Phytophthora
Field Tolerance



White Mould



Sudden Death Syndrome



Canopy Width



MANAGING PROBLEM WEEDS IN ENLIST E3™ SOYBEANS WITH A PROGRAM APPROACH



THE PROGRAM APPROACH is a **two-pass system** that uses Multiple Modes of Action to effectively control weeds and manage herbicide resistance in **Enlist E3™ soybeans**.

Weed	Modes of Action	Preplant or Pre-emergence with Residual Activity	Post-emergence up to R1 or R2	Benefits
Canada fleabane (glyphosate resistant)	2,4,5,9,10	Canopy™ PRO herbicide Apply as a burndown with glyphosate and a second effective mode of action	Enlist™ 1 + Liberty® 200 SN* OR Enlist 1 + glyphosate	Canada fleabane currently has no known resistance to Group 4 or Group 10 herbicides. Wide application window helps control late flushes.
Waterhemp (glyphosate resistant)	2,4,14 with 9 (glyphosate) or 10 (Liberty)	Diligent™ herbicide	Enlist 1 + glyphosate OR Enlist 1 + Liberty® 200 SN*	Save Groups 4,9,10 for second pass. Waterhemp populations are currently susceptible to both Enlist™ herbicide options.
Field Horsetail	2,4,9	Broadstrike RC + glyphosate + Enlist 1	Enlist 1 + glyphosate	2 effective modes of action on field horsetail (groups 2 and 4). Option for a 2nd in-crop application of Enlist 1. Excellent opportunity to manage this weed in a soybean crop

Enlist herbicides come with Colex-D™ technology for near-zero volatility and low drift

Enlist herbicides are critical tools enabling post-emergence control, without fear of off-target movement.

Talk with your retailer or download and use the **Field Guide app** to identify solutions for your farming operation.

Learn more at enlistcanada.ca

** Trademarks of Corteva Agriscience and its affiliated companies. © 2024 Corteva.
The transgenic soybean event in Enlist E3™ soybeans is jointly developed and owned by Corteva Agriscience and M.S. Technologies L.L.C.
LIBERTY is a registered trade-mark of BASF, used under license by BASF Canada Inc. © 2023 BASF Canada Inc.
Enlist Duo™ and Enlist™ 1 are the only 2,4-D products authorized for use with Enlist™ crops. Consult Enlist herbicide labels for weed species controlled.
Always read and follow label directions.



SOYBEAN FOOTNOTES

All Brevant products denoted with ™ are brand names. Ratings denoted by double digits reflect preliminary data subject to change when additional data becomes available.

IMPORTANT: Trait ratings provide key information useful in selection and management of Corteva products in your area. Scores are based on testing through 2025 harvest and were the latest available at time of printing. Some scores may change after 2026 harvest. Information and ratings are based on average performance across area of adaptation under normal conditions, over a wide range of both climate and soil types and may not predict future results.

TECHNOLOGY SEGMENT: Enlist Duo™ and Enlist™ 1 are the only 2,4-D products authorized for use with Enlist™ crops. Consult Enlist herbicide labels for weed species controlled. Always read and follow label directions.

NUMERIC RATINGS: 9 = Excellent; 1 = Poor; Blank = Insufficient Data or variety not tested for that particular trait.

ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS.

The transgenic soybean event in Enlist E3™ soybeans is jointly developed and owned by Corteva Agriscience and M.S. Technologies L.L.C.

Enlist Duo® and Enlist™ 1 are the only 2,4-D products authorized for use with Enlist™ crops. Consult Enlist herbicide labels for weed species controlled. Always read and follow label directions. Not all herbicides are registered for sale or use in all provinces in Canada. Contact your local regulatory agency to determine if a product is registered for sale or use in your area. Always read and follow label directions.

FIELD EMERGENCE: Rating based on speed and strength of emergence in sub-optimal temperatures. 1-3 = Below Average; 4-6 = Average; 7-9 = Excellent.

PHYTOPHTHORA RESISTANCE GENE:

Blank = No specific gene for resistance.

RPS1^^ = Contains Rps1c or Rps1k Phytophthora resistance

RPS 1A = Provides resistance to races 1, 2, 10, 11, 13-18, 24, 26, 27, 31, 32, 36, 38, 48, 50-52, 54-55.

RPS 1C = Provides resistance to races 1-3, 6-11, 13, 15, 17, 21, 23, 24, 26, 28-30, 32, 34, 36, 38, 41, 42, 44, 48, 50, 52, 54, 55.

RPS 1K = Provides resistance to races 1-11, 13-15, 17, 18, 21-24, 26, 36-38, 42-44, 46-55.

RPS 6 = Provides resistance to races 1-4, 10, 12, 14-16, 18-21, 25, 28, 33-35, 38-48, 52-54.

RPS 3A = Resistant to races 1-5, 8-9, 11, 13-14, 16, 18, 23, 25, 28-29, 31-35, 39-41, 43-45, 47-52, 54.

RPS 3C = Resistant to races 1-4, 10-16, 18-36, 38-54.

RELATIVE MATURITY: Shows the relative maturity group rating, with the digits preceding the decimal representing the general maturity group, and the digit following the decimal showing relative maturity within the group on a scale of 0 to 9, with 0 early and 9 late. For example, a soybean product with a relative maturity rating of 1.8 would be a late product in Group 1 maturity.

PHYTOPHTHORA FIELD TOLERANCE: Products with high tolerance scores have demonstrated an ability to thrive in the presence of Phytophthora races to which they lack specific resistance. In some products, tolerance is expressed only after the early seedling growth stage, making such products susceptible to damping off during emergence and early seed growth.

WHITE MOULD: Scores based on Corteva research observations of comparative white mold tolerance among various soybean products across multiple locations and years. All products are capable of developing white mold symptoms under severe infestations. To our knowledge, there are no totally resistant products in the industry. However, differences exist in the ability of products to tolerate white mold (i.e., the rate at which the infection develops and the extent of damage it causes). These scores reflect those differences.

SCN RESISTANCE SOURCE: There are three sources of genetic resistance to SCN currently deployed in the marketplace: PI88788; PI548402 (also known as Peking); PI437654 (also known as Hartwig); R = Resistant to SCN but the source of that resistance is not yet identified. PI88788 provides good to excellent resistance to race 3 and average to excellent resistance to race 14. Peking provides very good to excellent resistance to races 1, 3, and 5. Peking^ provides excellent resistance to race 3 and below average to average resistance to race 5.

CANOPY WIDTH: 9 = Extremely bushy; 1 = Very narrow.

PLANT HEIGHT FOR MATURITY: 9 = Tall; 1 = Short.

HILA COLOR: BL = Black; BR = Brown; TN = Tan; G = Gray; IB = Imperfect black; BF = Buff; Y = Yellow (Clear); M = Mixed.



BREVANT® Brand Variety	Technology Segment	Relative Maturity	Crop Heat Units (CHU)	Harvest Standability	Field Emergence	Phytophthora Gene	Phytophthora Field Tolerance	White Mould	Sudden Death Syndrome	SCN Source	Canopy Width	Plant Height for Maturity	Hila Color
RATING													
B0073EE™		00.7	2450	8	7	1C	5*	5		Peking	4	4	IB
B036CE™		0.3	2600	8	7	1K	5*	4	5	PI88788	5	4	BR
B054EE™		0.5	2650	7	7	1K	6*	6	6	PI88788	6	3	BR
B074HE™		0.7	2700	7	7	1C	5*	5	2		5	4	BR
B095EE™		1.0	2775	8	7	1K	4*	5	7	PI88788	7	3	BR
B103EE™		1.0	2775	7	7	1K	5*	6	3	PI88788	4	4	Y
B116EE™ NEW		1.1	2800	6	7	1K	6*	5*	6	PI88788	6	4	BL
B135EE™		1.3	2850	8	7	1K	6*	6	7	Peking	6	4	BL
B144EE™		1.4	2875	7	7	1K	5*	4	4	PI88788	6	4	BR
B173EE™		1.7	2950	6	7	1K,3A		4	5	PI88788	6	5	BR
B182ME™		1.8	2975	7	7	1K	4*	5	6	Peking	7	5	BL
B185EE™		1.8	2975	9	7	1K	7*	6	6	PI88788	6	5	BR
B214EE™		2.1	3050	6	7	1K	4*	4	5	Peking	6	5	BR
B243EE™		2.4	3125	8	7	1K	4*	6	6	Peking	6	5	BR
B289TE™		2.7	3200	6	7	1K	3*	3	5	Peking	5	4	BL
B283EE™		2.9	3250	6	7	1K	4*	3	6	PI88788	5	5	BL
Excellent Poor Insufficient Data													

See soybean footnotes for complete definitions and disclaimers related to product descriptions, characteristics ratings and disease ratings, and all other information contained here.

* Ratings denoted with an asterisk (*) reflect preliminary data subject to change when additional data becomes available.



**Browse our varieties online
and view the field plot results**



Frédéric Bélanger

District Sales Manager, Eastern Ontario, Quebec, Maritimes

frederic.belanger@altoyaseeds.com

514 829-2772

Kelly Consitt

District Sales Manager, Western Ontario

kelly.consitt@altoyaseeds.com

519 617-9598

 altoya.com

 [@altoya.seeds](https://www.instagram.com/altoya.seeds)

 [@AltoyaSeeds](https://www.facebook.com/AltoyaSeeds)

 [@altoya-seeds](https://www.linkedin.com/company/altoya-seeds)

Altoya

145, rang du Bas-de-la-Rivière Nord

Saint-Césaire (Québec)

J0L 1T0 Canada

Brevant® seeds brand products are provided subject to the terms and conditions of purchase which are part of the labelling and purchase documents.

TM ® Trademarks of Corteva Agriscience and its affiliated companies. © 2026 Corteva. | 0224-16864
PRINTED IN CANADA